

**CLAIMS**

What is claimed is:

- 1           1.     A storage bin comprising:
  - 2                 a.     a container; and
  - 3                 b.     a label holder configured to rotatably and detachably couple with the
  - 4                         container.
  
- 1           2.     The storage bin of claim 1, wherein the storage bin further comprises a lid
- 2                 configured to mate with the container so as to create a positive seal.
  
- 1           3.     The storage bin of claim 2, wherein the lid further comprises a tab configured to
- 2                 facilitate removal of the lid from the container.
  
- 1           4.     The storage bin of claim 1, wherein the container is substantially rectangular.
  
- 1           5.     The storage bin of claim 1, wherein the storage bin is uniformly formed from a
- 2                 homogenous material.
  
- 1           6.     The storage bin of claim 1, wherein the label holder is further configured to hold
- 2                 and allow insertion and removal of a label.
  
- 1           7.     The plastic storage bin of claim 6, wherein the label ranges in size from 3" x 5" to
- 2                 8.5" x 11".
  
- 1           8.     The plastic storage bin of claim 6, wherein the label ranges in size up to 8.5" x

2

11".

1

9. The storage bin of claim 1, wherein the label holder is further configured to slideably engage with the container.

2

1

10. A storage bin comprising:

2

a. a chamber configured for storing;

3

b. a rotatably attachable label holder; and

4

c. a label securing structure configured to detachably couple the attachable label holder to the chamber.

5

1

11. The storage bin of claim 10, wherein the storage bin further comprises a lid configured to detachably couple with the chamber.

2

1

12. The storage bin of claim 10, wherein the chamber further comprises one or more handles coupled to the chamber.

2

1

13. The storage bin of claim 10, wherein the storage bin is uniformly formed from a homogenous material.

2

1

14. The storage bin of claim 10, wherein the label holder is clear.

1

15. The storage bin of claim 10, wherein the label holder is configured to hold a 3" x 5" card.

2

1

16. The storage bin of claim 10, wherein the label holder is uniformly formed from a rigid plastic.

2

- 1           17.    A plastic storage bin comprising:
- 2               a.     hollow body with a front end and a rear end, wherein the hollow body
- 3                 further comprises a first securing structure on the front end; and
- 4               b.     a label holder comprising a second securing structure, wherein the first and
- 5                 second securing structures are configured to mate and detachably secure
- 6                 the label holder with the hollow body.
- 1           18.    The plastic storage bin of claim 17, wherein the hollow body is generally
- 2               parallelepiped-shaped.
- 1           19.    The plastic storage bin of claim 17, wherein the label holder is configured to
- 2               allow a 3" x 5" card to be inserted and removed therefrom.
- 1           20.    A labeled storage apparatus with comprising:
- 2               a.     a container comprising integrally formed inner walls and outer walls;
- 3               b.     one or more label holders rotatably and detachably coupled to the outer
- 4                 walls and configured to hold a label; and
- 5               c.     a lid configured to detachably couple with the container.
- 1           21.    The labeled storage apparatus of claim 20, wherein the label comprises a 3" x 5"
- 2               card.
- 1           22.    The labeled storage apparatus of claim 20, wherein the label comprises paper with
- 2               a size in the range of 3" x 5" to 8.5" x 11".
- 1           23.    The labeled storage apparatus of claim 20, wherein the label ranges in size up to

2                   8.5" x 11".

1           24.    The labeled storage apparatus of claim 20, wherein the container is in a  
2                   substantially rectangular shape.

1           25.    The labeled storage apparatus of claim 20, wherein the lid couples to the container  
2                   through a locking structure that frictionally engages so as to create a positive seal.

1           26.    The labeled storage apparatus of claim 20, wherein the apparatus further  
2                   comprises one or more guiding means configured to detachably couple with the  
3                   outer walls.

1           27.    The labeled storage apparatus of claim 20, wherein the apparatus is uniformly  
2                   formed from a homogenous material.

1           28.    The labeled storage apparatus of claim 27, wherein the homogenous material  
2                   comprises a polymer resin.

1           29.    The labeled storage apparatus of claim 27, wherein the homogenous material  
2                   comprises polypropylene.

1           30.    The labeled storage apparatus of claim 27, wherein the homogenous material  
2                   comprises a liquid impervious plastic material.

1           31.    The labeled storage apparatus of claim 20, wherein the lid further comprises a tab  
2                   configured to facilitate removal of the lid from the apparatus.

1           32.    A storage bin comprising:

- 2               a.       a container means comprising an inside and an outside, wherein the inside  
3                       comprises a main chamber configured for storing;  
4               b.       a lid configured to cooperatively engage with the container means;  
5               c.       a label holder securing means comprising a plurality of apertures, wherein  
6                       the label holder securing means is coupled to the outside of the container;  
7                       and  
8               d.       a label holder configured for holding a label and comprising a plurality of  
9                       protrusions, wherein the label holder is configured to rotatably and  
10                      detachably couple with the label holder securing means by cooperatively  
11                      engaging the plurality of protrusions with the plurality of apertures.

1           33.    The storage bin of claim 32, wherein the label comprises paper with a size in the  
2                      range of 3" x 5" to 8.5" x 11".

1           34.    The storage bin of claim 32, wherein the label ranges in size up to 8.5" x 11".

1           35.    The storage bin of claim 32, wherein the lid and the container means further  
2                      comprise a locking structure configured to frictionally engage so as to create a  
3                      positive seal.

1           36.    A label holder configured to hold and allow insertion and removal of a label,  
2                      wherein the label holder comprises one or more securing structures configured to  
3                      mate and rotatably and detachably secure the label holder with a container.

1           37.    The label holder of claim 36, wherein the one or more securing structures  
2                      comprise a plurality of protrusions configured to cooperatively engage with a

3 plurality of apertures.

1 38. The label holder of claim 36, wherein the label holder is clear and is uniformly  
formed from a rigid plastic.

1 39. The label holder of claim 36, wherein the label holder is uniformly formed from a  
2 semi-rigid material.

1 40. The label holder of claim 36, wherein the label is a 3" x 5" card.

1 41. The label holder of claim 36, wherein the label is a paper with a size in the range  
2 of 3" x 5" to 8.5" x 11."

1 42. The label holder of claim 36, wherein the label ranges in size up to 8.5" x 11".

1 43. The label holder of claim 36, wherein the label holder further comprises:

- 2 a. an open top;
- 3 b. a left side;
- 4 c. a right side;
- 5 d. a bottom side;
- 6 e. a front side; and
- 7 f. a rear side, wherein the rear side comprises an inward-facing lip
- 8 configured to partially extend toward the center of the label holder from
- 9 the right, left, and bottom sides.